



*This certificate is granted and awarded by the authority of the Nadcap Management Council to:*

## **St Louis Testing Lab**

**2810 Clark Ave  
Saint Louis, MO 63103-2574  
United States**

*This certificate demonstrates conformance and recognition of accreditation for specific services, as listed in [www.eAuditNet.com](http://www.eAuditNet.com) on the Qualified Manufacturers List (QML), to the revision in effect at the time of the audit for:*

## **Materials Testing**

Certificate Number: 4442173139  
Expiration Date: 31 January 2019

A handwritten signature in black ink, appearing to read "Joseph G. Pinto".

Joseph G. Pinto  
Executive Vice President and Chief Operating Officer

---

Performance Review Institute (PRI) | 161 Thorn Hill Road | Warrendale, PA 15086-7527



## SCOPE OF ACCREDITATION

### Materials Testing

**St Louis Testing Lab**  
2810 Clark Ave  
Saint Louis, MO 63103-2574

This certificate expiration is updated based on periodic audits. The current expiration date and scope of accreditation are listed at: [www.eAuditNet.com](http://www.eAuditNet.com) - Online QML (Qualified Manufacturer Listing).

In recognition of the successful completion of the PRI evaluation process, accreditation is granted to this facility to perform the following:

**AC7101/1 Rev F - Nadcap Audit Criteria for Materials Testing Laboratories – General Requirements for All Laboratories (to be used on/after 14 Sept 2014)**

**AC7101/4 Rev F - Nadcap Audit Criteria for Materials Test Laboratories – Metallography and Microindentation Hardness (to be used on/after 14 August, 2016)**

(L11) Grain Size

**AC7101/6 Rev C - Nadcap Audit Criteria for Materials Test Laboratories – Corrosion (to be used on/after 28 August, 2011)**

(Q) Corrosion (General)

**ISO/IEC - Currently accredited by an ILAC approved source**

**Lab Type - Lab Type**

Independent